

PRE-FILTER

Guarding the first level of whole house water purification

P4



High precision filtering



Stainless steel strainer



Filter element replacement free



Protect wading appliances



Environmentally friendly copper material

VORTEX QUICK CLEAN BACKWASHING

Efficient and comprehensive filtration of impurities

X-type double-sided scraping
skeleton. Quickly solve the
problem of filter pollution
blockage



FULLY AUTOMATIC 360 ° ROTARY FLUSHING

Using the principle of high-pressure water gun,
omni-directional non-dead-angle flushing



AUTOMATIC REVERSE SPRAY WASHING TECHNOLOGY FOR WATER PURIFICATION

Brand-new seventh generation technology

The seventh generation of automatic high-pressure water purification reverse spray washing technology, built-in hydraulic drive automatic 360° whirlpool spray system to form high-pressure and high-speed reverse spray washing of the filter screen.

Automatic switching Technology of Rotary spray system

The filter state whirlpool spray system does not work and does not affect the clean water flow, and the backwash swirl spray system is automatically turned on to form a high pressure and high speed automatic whirlpool spray function.

Fast spinning technique

Through the built-in whirlpool spray system to achieve high-speed flow agitation and improve the decontamination capacity.

Rotary backwashing

The knob backwashing mode is turned on and off, and the recoil mode is automatically opened by hydraulic and spring through accurate fluid and mechanical design.



POLYMER EXPLOSION-PROOF FILTER BOTTLE

Strictly select the material of the water-related parts and adopt the imported material of milk bottle

More than **200000**
waterproof hammers


60kg explosion-proof

No bisphenol A



316L STAINLESS STEEL FILTER

40 μ m filter fine anti-blocking, effectively intercept particulate impurities such as sediment, rust and floating matter, play an active role in protecting the terminal water-related equipment, and make the use of water healthier.




ROTARY SCRAPING OPERATION

Free direction, Easy to use



EXQUISITE HIGH-END APPEARANCE



Knob drain switch

Simple operation
unique shape



All-copper compression

The use of 59-1 all-copper, safety and
environmental protection
strong pressure resistance



Precision process

The fuselage is beautiful ,dare enough
to splash the dust

PRODUCT PARAMETERS



Product model: P4

Filtering accuracy: 40µm

Effluent flow: 4T/h

Product size: 160*75*235mm

Work pressure: 0.15~1MPa

Connector size: 3/4", 1/2", 1"

Applicable temperature: 5°C-45 °C

Applicable water quality: municipal tap water