

800G HIGH FLOW TANKLESS RO SYSTEM



800G
High Flow

2.1L/min
High Flow

3024L/d
Water Capacity



5-Stage Filtration



TDS Display



Filter Replacement
Reminder



3 Seconds To
Replace Filters



Auto Flush



Integrated Waterflow

PRODUCT PARAMETERS



Product Model : A9-800

Filter Precision : 0.0001um

Flow Rate : 2.1 L / min

Working Pressure : 0.1-0.4MPa

Power Supply : 100-240V AC

Dimesions(mm) : 435x160x400

CBPA Filter life : 9-12 months

RO Filter life : 18-24 months

Inlet Water Quality : Municipal tap water or similar water quality

BIG FLOW DOUBLE EFFLUENT DESIGN



water flow is 2.1L
per minute



8s to make a full
glass of water (250ml)




1.5:1 pure
waste water ratio



4 + 1 LAYERS FILTRATION

The two filters provide five stages of filtration.
Effectively removes 1000+ contaminants.



REAL TIME TDS AND FILTER LIFE MONITORING



HIGH-PRECISION REVERSE OSMOSIS RO MEMBRANE


RO

0.0001 Micron

High-precision filtering

SMART LEAKAGE PROTECTOR

The integrated water circuit helps avoid leakage





30

MINUTES
QUICK
INSTALLATION



3

SECONDS
TO REPLACE
FILTERS

Integrated filter design with
built-in connectors

Just twist and click!



STOP WATER WASTE!

Don't throw money down the drain

1.5:1
LOW DRAIN
RATE

LIMITED
WATER
WASTE


34%
MORE
EFFICIENT


Purifide
Water




Waste
Product


PRODUCT LIST



RO System x 1



Filter Element x 2



Faucet x 1



Power Supply x 1



PE Tube x 2



Accessory Kit x 1