

# LIGHT AND EASY TO USE

Beauty, skin care, water purification and descaling

CSR Regeneration technology | Food grade resin | Easy to clean



## Descaling

Removal of water alkali and scale

Remove water and alkaline scale

EFFECT 1

## Skincare

Makes skin smooth and delicate

Make the skin smooth and delicate

EFFECT 2

## Water purification

Extend the life of washing appliances

Special fiber filter element

EFFECT 3

## Clothing

Bright color

Special fiber filter element

EFFECT 4

\* Note: The water softener cannot be connected to drinking water, because sodium ions in the water replace calcium and magnesium ions, and the sodium concentration is high. Long-term drinking will cause damage to liver and kidneys.

# PURIFYING WATER IS NOT ONLY AN ATTITUDE TO LIFE BUT ALSO A PURSUIT OF QUALITY

Beauty, skin care, water purification and descaling



REFUSE MEDIOCRITY

REGULARLY CLEAN WATER PIPES, SOFTENED WATER, AND A BALANCE FILTER  
TANK, EACH OF WHICH ARE ESSENTIAL TO THE WATER PURIFICATION SYSTEM. THE NO FILTER  
OPERATION IS STABLE, THE WATER IS PURE AND FLUENT.

# FOUR FUNCTIONS PROTECT HEALTHY WATER

## Part 1.

**Removes calcium and magnesium ions from water Soften water**

Removal of water and alkali scales, calcium and magnesium ions in water Protect plumbing, floor heating, waterways, and appliances





**Par2.**

### **Makes water more skin-friendly**

Replace calcium and magnesium ions in water  
Keeps water free or contains less soluble calcium  
and magnesium compounds  
So that the skin is smooth and delicate  
Hair is more flowing and shiny

Par3.

**Home Textiles / Clothing**  
**Bright color like new**

Water softener removes hardness impurities in water  
Soft clothing  
Make washed clothes look new  
Durable





**Par4.**

**Extend appliance life  
Save more power**

Can save more than 1/3 of laundry liquid  
Save more than 20% of electricity  
Extend the life of washing appliances

# PRODUCT SPECIFICATIONS



## Product parameters

Product number :	NBN-S4
Working water temperature:	4°C-38°C
Work flow:	1500-2000L/h
Continuous water production:	5T (under the adjustment of 100ppm)
Working pressure:	0.01-0.35Mpa
Inlet and Outlet Caliber:	3/4 "
Flushing caliber:	1/4 "
Filter:	British Bright Food Grade Resin
Product Size:	410*240*520mm
Cycle water production:	3m <sup>3</sup>